464414 -14/10/2020

Dispatch Date: 23/10/2020

**Electra Enterprise BP** 

Colour: Black Refill Colour: Black

**Print Area**: 40mm x 20mm (Barrel) **Line Drawing Scale**: 100%





Artwork at 200%



PMS WHITE

0345 260 6280 www.nutrixmedical .co.uk



PMS BLUE 2171 C

## Please Note:

All colours including print and product is for visual purposes only and should not be regarded as the actual colour of product and print.

Pen colours may vary from batch to batch & may differ from previous orders. By approving this order we accept that you understand these terms.

WE STRONGLY ADVISE THAT YOU ORDER A PRODUCT SAMPLE BEFORE PROCEEDING

image can not be cleaned off or the goods reclaimed.

## Colour Guide:

The colour guide to the right indicates what certain colours may print like on coloured pens or other printed colours. Some requested colours may print slightly darker or lighter depending on the substrate.

We request that this be taken into consideration when approving artwork



Your order will be processed, based on the above, unless you have made amendments. All orders are subject to our full terms & conditions. However, we would like to draw your attention to the following terms in particular.

- 1. Claims for faulty goods will be honoured, only if the goods are returned to us. We will not issue credit notes or refunds for goods that have been distributed. Please ensure that goods are satisfactory before distribution.
- 2. Metallic printing inks (gold, silver,etc.) have a very limited life due to their formulation. You are advised to request an over varnish, in writing, for this type of printing. This service is at additional cost and not inclusive of any prices listed or quoted.
- 3. We are not responsible for delays during transit. We dispatch goods on your behalf and the goods become your property the moment they leave our premises.

I confirm that I have thoroughly checked all information on this document, including layout, fonts, spelling, print colours, separations, print size and position, etc.

separations, print size and position, etc.	
Please proceed without amendment(s)	Please amend as above & reproof
By signing below I accept responsibility for errors no	t corrected and understand that once the goods are printed, the printed