

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

Bagco Ltd

Address: Unit 3, Churchill Court, Hortons Way, Westerham, Kent TN16 1BT, GB

Attention: Nigel Pearce

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description: Order No.: SW-25036, Article No.: SW-091757/SW-091532

(1) black R-PET 1.2mm Water PU Leather

(2) grey 210D R-PET lining

Test Specification: SVHC screening is performed according to:
247 substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before January 21, 2025 regarding Regulation (EC) No 1907/2006 concerning the REACH

Sample Receiving Date: 2025-04-08

Testing Period: 2025-04-08 to 2025-04-17

Service: Regular Service

Delivery Conditions: Normal

Test Results: Please refer to following pages

Summary: According to the Court of Justice of European Union ruling on the definition of articles under REACH, as well as the specified scope and analytical techniques, the test results for the selected constituent articles in the submitted samples of material are less than 0.1%

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicant's requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com





Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

Photo of samples



Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicant's requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com



Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

Test Summaries: Find the Detailed results on the following pages.

Material No.	Material Description	Conclusion
M1	black R-PET 1.2mm Water PU Leather(P1)	Pass
M2	grey 210D R-PET lining(P2)	Pass

Remark

Article 7(2) (REACH Regulation):

- Notification of substances in articles:
 - a) Producers and importers have to notify to ECHA the substances listed on the Candidate list which are present in their articles, if both the following conditions are met:
 - The substance is present in their relevant articles above a concentration of 0.1% weight by weight.
 - The substance is present in these relevant articles in quantities totaling over one ton per year.
 - b) Companies have to notify no later than six months after the inclusion of the substance in the Candidate List.
- Exemptions:
 - a) The producer or importer of an article can exclude the exposure of humans and the environment to the substance during normal or reasonably foreseeable conditions of use of the article, including its disposal. In these cases, the producers and importers will give appropriate instructions to the recipient of the article.
 - b) The substance has already been registered by a manufacturer or importer in the EU for that use.

Article 33 (REACH Regulation):

- Communication in the supply chain:
 - a) Directly after a substance is included in the Candidate List, suppliers of articles which contain such a substance in a concentration above 0.1% (weight by weight) have to provide enough information to allow the safe use of the article to the recipients of the article. In this case, recipients are industrial or professional users and distributors, but not consumers. As a minimum the name of the substance in question has to be communicated.
 - b) Consumers can request similar information. The supplier of the article has to provide this information within 45 days, free of charge.

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicant's requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com



Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

Test Results

Test method: Screening test, analyzed based on Liquid Chromatography Mass Spectrometry and Mass Spectrometry (LCMSMS), Gas Chromatography and Mass Spectrometry (GC-MS), Inductively Coupled Plasma Mass Spectrometry (ICP-MS), High Performance Liquid Chromatography (HPLC), UV-Vis spectrophotometer and X-Ray Fluorescence Spectrometry (XRF).

SVHC No.	Substance Name	CAS No.	Result (%)
--	All tested substances in candidate list	--	n.d.

Remark

- The table above only shows detected SVHC, and SVHC that below report limit are not reported. Please refer to Appendix list of tested SVHC.
- n.d. = not detected (lower than reported limit), % = percent by weight.

CHECKED BY:



Kimmy. Liu (2025-04-18)
Quality Engineer

APPROVED BY:

Jerry. He (2025-04-18)
Authorized Signatory

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicant's requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

Appendix

The Candidate List of Substances of Very High Concern (SVHC)

No.	Substance Name	EC No.	CAS No.	Report Limit (%)
1	Lead hydrogen arsenate**	232-064-2	7784-40-9	0.050
2	Benzyl butyl phthalate (BBP)	201-622-7	85-68-7	0.015
3	Bis (2-ethylhexyl)phthalate (DEHP)	204-211-0	117-81-7	0.015
4	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	201-329-4	81-15-2	0.015
5	Diarsenic trioxide**	215-481-4	1327-53-3	0.050
6	Bis(tributyltin)oxide (TBTO) **	200-268-0	56-35-9	0.050
7	Cobalt dichloride**	231-589-4	7646-79-9	0.050
8	Triethyl arsenate**	427-700-2	15606-95-8	0.050
9	Diarsenic pentaoxide**	215-116-9	1303-28-2	0.050
10	Sodium dichromate**	234-190-3	7789-12-0/ 10588-01-9	0.050
11	Dibutyl phthalate (DBP)	201-557-4	84-74-2	0.015
12	4,4'- Diaminodiphenylmethane (MDA)	202-974-4	101-77-9	0.015
13	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (SCCP)	287-476-5	85535-84-8	0.015
14	Anthracene	204-371-1	120-12-7	0.015
15	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified	247-148-4 and 221-695-9	25637-99-4 3194-55-6 (134237-50-6) (134237-51-7) (134237-52-8)	0.015
16	Lead sulfochromate yellow (C.I. Pigment Yellow 34)**	215-693-7	1344-37-2	0.050
17	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)**	235-759-9	12656-85-8	0.050
18	Anthracene oil	292-602-7	90640-80-5	0.015
19	2,4-Dinitrotoluene	204-450-0	121-14-2	0.015
20	Anthracene oil, anthracene paste, anthracene fraction	295-275-9	91995-15-2	0.015
21	Anthracene oil, anthracene-low	292-604-8	90640-82-7	0.015
22	Tris(2-chloroethyl)phosphate(TCEP)	204-118-5	115-96-8	0.015
23	Diisobutyl phthalate (DIBP)	201-553-2	84-69-5	0.015
24	Lead chromate**	231-846-0	7758-97-6	0.050
25	Anthracene oil, anthracene paste	292-603-2	90640-81-6	0.015
26	Pitch, coal tar, high temp.	266-028-2	65996-93-2	0.015

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicant's requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

No.	Substance Name	EC No.	CAS No.	Report Limit (%)
27	Anthracene oil, anthracene paste, distn. Lights	295-278-5	91995-17-4	0.015
28	Acrylamide	201-173-7	79-06-1	0.015
29	Trichloroethylene	201-167-4	79-01-6	0.015
30	Potassium dichromate**	231-906-6	7778-50-9	0.050
31	Tetraboron disodium heptaoxide, hydrate**	235-541-3	12267-73-1	0.050
32	Ammonium dichromate**	232-143-1	7789-09-5	0.050
33	Boric acid**	233-139-2 / 234-343-4	10043-35-3 / 11113-50-1	0.050
34	Sodium chromate**	231-889-5	7775-11-3	0.050
35	Disodium tetraborate, anhydrous**	215-540-4	1303-96-4 / 1330-43-4 / 12179-04-3	0.050
36	Potassium chromate**	232-140-5	7789-00-6	0.050
37	Cobalt(II) diacetate**	200-755-8	71-48-7	0.050
38	Cobalt(II) sulphate**	233-334-2	10124-43-3	0.050
39	2-Ethoxyethanol	203-804-1	110-80-5	0.015
40	2-Methoxyethanol	203-713-7	109-86-4	0.015
41	Chromium trioxide**	215-607-8	1333-82-0	0.050
42	Cobalt(II) carbonate**	208-169-4	513-79-1	0.050
43	Cobalt(II) dinitrate**	233-402-1	10141-05-6	0.050
44	Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid**	231-801-5 - 236-881-5	7738-94-5 - 13530-68-2	0.050
45	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkylesters, C7-rich [DIHP]	276-158-1	71888-89-6	0.015
46	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters [DHNUP]	271-084-6	68515-42-4	0.015
47	strontium chromate**	232-142-6	7789-06-2	0.050
48	1-methyl-2-pyrrolidone	212-828-1	872-50-4	0.015
49	1,2,3-trichloropropane	202-486-1	96-18-4	0.015
50	2-ethoxyethyl acetate	203-839-2	111-15-9	0.015
51	Hydrazine	206-114-9	302-01-2 / 7803-57-8	0.015
52	4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol)	205-426-2	140-66-9	0.015
53	N,N-dimethylacetamide (DMAC)	204-826-4	127-19-5	0.050

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicable requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

No.	Substance Name	EC No.	CAS No.	Report Limit (%)
54	Phenolphthalein	201-004-7	77-09-8	0.015
55	Lead azide Lead diazide**	236-542-1	13424-46-9	0.050
56	Lead dipicrate**	229-335-2	6477-64-1	0.050
57	1,2-Dichloroethane	203-458-1	107-06-2	0.015
58	Calcium arsenate**	231-904-5	7778-44-1	0.050
59	Dichromium tris(chromate) **	246-356-2	24613-89-6	0.050
60	2-Methoxyaniline; o-Anisidine	201-963-1	90-04-0	0.015
61	Pentazinc chromate octahydroxide**	256-418-0	49663-84-5	0.050
62	Arsenic acid**	231-901-9	7778-39-4	0.050
63	Potassium hydroxyoctaoxodizincatedi-chromate**	234-329-8	11103-86-9	0.050
64	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	500-036-1	25214-70-4	0.015
65	Lead styphnate**	239-290-0	15245-44-0	0.050
66	Trilead diarsenate**	222-979-5	3687-31-8	0.050
67	Zirconia Aluminosilicate Refractory Ceramic Fibres**	-	-	0.050
68	Bis(2-methoxyethyl) phthalate(DMEP)	204-212-6	117-82-8	0.015
69	Aluminosilicate Refractory Ceramic Fibres**	-	-	0.050
70	Bis(2-methoxyethyl) ether	203-924-4	111-96-6	0.015
71	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	202-918-9	101-14-4	0.015
72	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-yliden e]dimethylammonium chloride (C.I. Basic Violet 3)	208-953-6	548-62-9	0.015
73	α,α -Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4)	229-851-8	6786-83-0	0.015
74	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	202-959-2	101-61-1	0.015
75	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1 H,3H,5H)-trione (β -TGIC)	423-400-0	59653-74-6	0.015
76	Diboron trioxide**	215-125-8	1303-86-2	0.050
77	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	203-977-3	112-49-2	0.015
78	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol	209-218-2	561-41-1	0.015
79	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)**	401-750-5	17570-76-2	0.050

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicable requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

No.	Substance Name	EC No.	CAS No.	Report Limit (%)
80	Formamide	200-842-0	1975-12-7	0.015
81	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)	219-943-6	2580-56-5	0.015
82	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	203-794-9	110-71-4	0.015
83	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	219-514-3	2451-62-9	0.015
84	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	202-027-5	90-94-8	0.015
85	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	421-150-7	143860-04-2	0.015
86	4-methyl-m-phenylenediamine (2,4-toluene-diamine)	202-453-1	95-80-7	0.015
87	N-methylacetamide	201-182-6	79-16-3	0.015
88	Pentalead tetraoxide sulphate**	235-067-7	12065-90-6	0.050
89	Biphenyl-4-ylamine	202-177-1	92-67-1	0.015
90	Dinoseb	201-861-7	88-85-7	0.015
91	Dioxobis(stearato)trilead**	235-702-8	12578-12-0	0.050
92	Lead dinitrate**	233-245-9	10099-74-8	0.050
93	Tetralead trioxide sulphate**	235-380-9	12202-17-4	0.050
94	Lead oxide (lead monoxide) **	215-267-0	1317-36-8	0.050
95	Lead titanium trioxide**	235-038-9	12060-00-3	0.050
96	4,4'-methylenedi-o-toluidine	212-658-8	838-88-0	0.015
97	Acetic acid, lead salt, basic**	257-175-3	51404-69-4	0.050
98	Dimethyl sulphate	201-058-1	77-78-1	0.015
99	Furan	203-727-3	110-00-9	0.015
100	Pyrochlore, antimony lead yellow**	232-382-1	8012-00-8	0.050
101	Tetraethyllead**	201-075-4	78-00-2	0.050
102	Dibasic lead phthalate (phthalate(2-dioxotrilead)) **	273-688-5	69011-06-9	0.050
103	Diethyl sulphate	200-589-6	64-67-5	0.015
104	Lead cyanamidate**	244-073-9	20837-86-9	0.050
105	Silicic acid, barium salt, lead-doped**	272-271-5	68784-75-8	0.050
106	Trilead dioxide phosphonate**	235-252-2	12141-20-7	0.050
107	o-Toluidine; 2-Aminotoluene	202-429-0	95-53-4	0.015
108	o-aminoazotoluene	202-591-2	97-56-3	0.015

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicant's requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

No.	Substance Name	EC No.	CAS No.	Report Limit (%)
109	4-Aminoazobenzene; 4-Phenylazoaniline	200-453-6	1960-9-3	0.015
110	6-methoxy-m-toluidine (p-cresidine)	204-419-1	120-71-8	0.015
111	Dibutyltin dichloride (DBT) **	211-670-0	683-18-1	0.050
112	Lead Titanium Zirconium Oxide**	235-727-4	12626-81-2	0.050
113	Propylene oxide; 1,2-epoxypropane; methyloxirane	200-879-2	75-56-9	0.015
114	1-bromopropane	203-445-0	106-94-5	0.015
115	Basic lead carbonate (trilead bis(carbonate)dihydroxide) **	215-290-6	1319-46-6	0.050
116	Fatty acids, C16-18, lead salts**	292-966-7	91031-62-8	0.050
117	Lead tetroxide (orange lead) **	215-235-6	1314-41-6	0.050
118	Sulfurous acid, lead salt, dibasic**	263-467-1	62229-08-7	0.050
119	4,4'-oxydianiline and its salts	202-977-0	101-80-4	0.015
120	Basic lead sulphate (lead oxide sulphate) **	234-853-0	12036-76-9	0.050
121	Lead bis(tetrafluoroborate) **	237-486-0	13814-96-5	0.050
122	Silicic acid, lead salt **	234-363-3	11120-22-2	0.050
123	Bis(pentabromophenyl) ether (DecaBDE)	214-604-9	1163-19-5	0.015
124	Phenol, 4-nonyl-, branched and linear covering all individual isomers with an alkyl chain of carbon number 9 and UVCB substances which include linear and branched alkyl chains with a carbon number of 9	-	-	0.015
125	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	204-650-8	123-77-3	0.015
126	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated	-	-	0.015
127	1,2-Diethoxyethane	211-076-1	629-14-1	0.015
128	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	247-094-1 243-072-0 256-356-4 260-566-1	2550-51-0 19438-60-9 48122-14-1 57110-29-9	0.015
129	Cyclohexane-1,2-dicarboxylic anhydride	201-604-9	85-42-7	0.015
130	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	284-032-2	84777-06-0	0.015
131	N-pentyl-isopentylphthalate	-	776297-69-9	0.015
132	Heptacosafuorotetradecanoic acid	206-803-4	376-06-7	0.015
133	Pentacosafuorotridecanoic acid	276-745-2	72629-94-8	0.015
134	Henicosafuoroundecanoic acid	218-165-4	2058-94-8	0.015

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicant's requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

No.	Substance Name	EC No.	CAS No.	Report Limit (%)
135	Tricosafuorododecanoic acid	206-203-2	307-55-1	0.015
136	Methoxy acetic acid	210-894-6	625-45-6	0.015
137	Diisopentylphthalate (DIPP)	210-088-4	605-50-5	0.015
138	N,N-dimethylformamide; dimethyl formamide	200-679-5	68-12-2	0.050
139	Cadmium**	231-152-8	7440-43-9	0.050
140	Ammonium pentadecafluorooctanoate (APFO)	223-320-4	3825-26-1	0.015
141	Pentadecafluorooctanoic acid (PFOA)	206-397-9	335-67-1	0.015
142	Dipentyl phthalate (DPP)	205-017-9	131-18-0	0.015
143	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	-	-	0.015
144	Cadmium oxide**	215-146-2	1306-19-0	0.050
145	Cadmium sulphide**	215-147-8	1306-23-6	0.050
146	Dihexyl phthalate (DnHP)	201-559-5	84-75-3	0.015
147	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	209-358-4	573-58-0	0.015
148	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-di sulphonate (C.I. Direct Black 38)	217-710-3	1937-37-7	0.015
149	Imidazolidine-2-thione; 2-imidazoline-2-thiol	202-506-9	96-45-7	0.015
150	Lead di(acetate) **	206-104-4	301-04-2	0.050
151	Trixylyl phosphate	246-677-8	25155-23-1	0.015
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	271-093-5	68515-50-4	0.015
153	Cadmium chloride**	233-296-7	10108-64-2	0.050
154	Sodium perborate; perboric acid, sodium salt**	239-172-9 234-390-0	-	0.050
155	Sodium peroxometaborate**	231-556-4	7632-4-4	0.050
156	2-benzotriazol-2-yl-4,6-di-tert-butylphenol	223-346-6	3846-71-7	0.015

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicant's requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

No.	Substance Name	EC No.	CAS No.	Report Limit (%)
157	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradeca noate(DOTE) **	239-622-4	15571-58-1	0.050
158	Reaction mass of 2-ethylhexyl 10 ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradeca noate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate(reaction mass of DOTE and MOTE) **	-	-	0.050
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol	247-384-8	25973-55-1	0.015
160	Cadmium fluoride**	232-222-0	7790-79-6	0.050
161	Cadmium sulphate**	233-331-6	10124-36-4; 31119-53-6	0.050
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate.	271-094-0 272-013-1	68515-51-5 68648-93-1	0.015
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	-	0.015
164	Nitrobenzene	98-95-3	202-716-0	0.015
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.015
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.015
167	1,3-propanesultone	1120-71-4	214-317-9	0.015
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	206-801-3	0.015
169	Benzo[def]chrysene (Benzo[a]pyrene)	200-028-5	50-32-8	0.015
170	4,4'-isopropylidenediphenol	201-245-8	80-50-7	0.015
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts Nonadecafluorodecanoic acid Decanoic acid, nonadecafluoro-, sodium salt Ammonium nonadecafluorodecanoate	206-400-3 - 221-470-5	335-76-2 3830-45-3 3108-42-7	0.015
172	p-(1,1-dimethylpropyl)phenol	201-280-9	80-46-6	0.015

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicable requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

No.	Substance Name	EC No.	CAS No.	Report Limit (%)
173	4-Heptylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	-	-	0.015
174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	206-587-1	355-46-4	0.015
175	Chrysene	205-923-4	218-01-9	0.015
176	Benz[a]anthracene	200-280-6	56-55-3	0.015
177	Cadmium nitrate**	233-710-6	10325-94-7	0.050
178	Cadmium hydroxide**	244-168-5	21041-95-2	0.050
179	Cadmium carbonate**	208-168-9	513-78-0	0.050
180	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof]	-	-	0.015
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	-	-	0.015
182	Octamethylcyclotetrasiloxane (D4)	209-136-7	556-67-2	0.015
183	Decamethylcyclopentasiloxane (D5)	208-764-9	541-02-6	0.015
184	Dodecamethylcyclohexasiloxane (D6)	208-762-8	540-97-6	0.015
185	Lead	231-100-4	7439-92-1	0.015
186	Disodium octaborate**	234-541-0	12008-41-2	0.050
187	Benzo[ghi]perylene	205-883-8	191-24-2	0.015
188	Terphenyl hydrogenated	262-967-7	61788-32-7	0.015
189	Ethylenediamine (EDA)	203-468-6	107-15-3	0.015
190	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride) (TMA)	209-008-0	552-30-7	0.015
191	Dicyclohexyl phthalate (DCHP)	201-545-9	84-61-7	0.015
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	401-720-1	6807-17-6	0.100
193	Benzo[k]fluoranthene	205-916-6	207-08-9	0.015
194	Fluoranthene	205-912-4	206-44-0	0.015
195	Phenanthrene	201-581-5	85-01-8	0.015

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicable requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

No.	Substance Name	EC No.	CAS No.	Report Limit (%)
196	Pyrene	204-927-3	129-00-0	0.015
197	1,7,7-trimethyl-3-(phenylmethylene)-bicyclo-[2.2.1]heptan-2-one	239-139-9	15087-24-8	0.100
198	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	-	-	0.100
199	4-tert-butylphenol (PTBP)	202-679-0	98-54-4	0.015
200	2-methoxyethyl acetate	203-772-9	110-49-6	0.015
201	Tris (4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP)	-	-	0.100
202	Diisohexyl phthalate	276-090-2	71850-09-4	0.015
203	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	404-360-3	119313-12-1	0.100
204	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	400-600-6	71868-10-5	0.100
205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	-	0.015
206	1-vinylimidazole	214-012-0	1072-63-5	0.100
207	2-methylimidazole	211-765-7	693-98-1	0.100
208	Dibutylbis(pentane-2,4-dionato-O,O')tin**	245-152-0	22673-19-4	0.050
209	Butyl 4-hydroxybenzoate (Butylparaben)	202-318-7	94-26-8	0.100
210	Bis(2-(2-methoxyethoxy)ethyl)ether	205-594-7	143-24-8	0.015
211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	-	-	0.015
212	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	-	-	0.015
213	Orthoboric acid, sodium salt**	-	-	0.050
214	2,2-bis(bromomethyl)propane1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)"	-	-	0.015
215	Glutaral	-	-	0.015
216	Medium-chain chlorinated paraffins (MCCP) (UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17)	-	-	0.015

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicable requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

No.	Substance Name	EC No.	CAS No.	Report Limit (%)
217	Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	-	-	0.015
218	1,4-dioxane	204-661-8	123-91-1	0.015
219	4,4'-(1-methylpropylidene)bisphenol	201-025-1	77-40-7	0.015
220	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	204-327-1	119-47-1	0.015
221	tris(2-methoxyethoxy)vinylsilane	213-934-0	1067-53-4	0.015
222	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	-	-	0.015
223	S-(tricyclo(5.2.1.0'2,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate X4261	401-850-9	255881-94-8	0.015
224	N-(hydroxymethyl)acrylamide	213-103-2	924-42-5	0.015
225	1,1'-[ethane-1,2-diylbis(oxy)]bis[2,4,6-tribromo benzene]	253-692-3	37853-59-1	0.015
226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	201-236-9	79-94-7	0.015
227	4,4'-sulphonyldiphenol	201-250-5	80-09-1	0.015
228	Barium diboron tetraoxide**	237-222-4	13701-59-2	0.050
229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	-	-	0.015
230	Isobutyl 4-hydroxybenzoate	224-208-8	4247-02-3	0.015
231	Melamine	203-615-4	108-78-1	0.015
232	Perfluoroheptanoic acid and its salts	-	-	0.015
233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	473-390-7	-	0.015
234	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	278-355-8	75980-60-8	0.015
235	Bis(4-chlorophenyl) sulphone	201-247-9	80-07-9	0.015
236	2,4,6-tri-tert-butylphenol	211-989-5	732-26-3	0.015
237	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV-329)	221-573-5	3147-75-9	0.015
238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	438-340-0	119344-86-4	0.015

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicable requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com

Expertise: C2025118277V2-SV1

Date: 2025-04-18

Test Report

No.	Substance Name	EC No.	CAS No.	Report Limit (%)
239	Bumetrizole (UV 326)	223-445-4	3896-11-5	0.015
240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	700-960-7	-	0.015
241	Bis(α,α -dimethylbenzyl) peroxide	201-279-3	80-43-3	0.050
242	Triphenyl Phosphate	204-112-2	115-86-6	0.015
243	6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid	701-118-1	2156592-54-8	0.050
244	O,O,O-triphenyl phosphorothioate	209-909-9	597-82-0	0.050
245	Octamethyltrisiloxane	203-497-4	107-51-7	0.050
246	Perfluamine	206-420-2	338-83-0	0.050
247	Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	421-820-9	192268-65-8	0.050

Remark

- ** The test result is determined by selected element(s) / marker(s) and converted to the concentration of substance to the worst-case scenario.
- Calculated concentration of Chromium VI compounds is based on the phosphate-buffer extractive Chromium VI by UV-Vis.
- Calculated concentration of Boric compounds is based on the water extractive Boron by ICP-MS.

...END...

Disclaimer:

The results contained in this report, refer to specific parts/portions of the tested product as described in the details enclosed. PFI Fareast follows the applicant's requirements as to which part and/or portions of the product should be tested and which parameters should be applied. If PFI Fareast receives materials or products for testing which are obviously not in proper condition, PFI Fareast will inform the client that the test result may be affected. If the client insists that the materials or products are anyhow tested, PFI Fareast won't take responsibility for the correctness or representativeness of the result. And then in response to the customer's request to add information beyond the content of the report, PFI Fareast won't take responsibility for the authenticity of the information. The report is presented in a simplified form, if the customer has any objection to the test report, it should be submitted to PFI Fareast within three months from the date of receipt of the report. Overdue will not be accepted. Without the written approval of the company, it is not permitted to reproduce the test report in extracts.

PFI Fareast Testing & Technology Services Co., Ltd.

Addr.: PFI Fareast Bldg., Changfeng St., Xunmei Industrial Zone, Fengze District of Quanzhou, Fujian, China.

Tel.: +86 (595) 2802 1199/2802 0399 Fax: +86 (595) 2802 0866 E-mail: info@pfi-fareast.com Website: www.pfi-fareast.com
